

CHIM TABU FT

Non-yellowing, two-component, high-strength aliphatic polyurethane finish



Description

CHIM TABU FT is a two-component aliphatic polyurethane varnish with special UV ray-absorbing elements. It is non-yellowing, scratch-resistant and features surface hardness and transparency. Due to its chemical and physical characteristics, CHIM TABU FT gives the dry varnish's film a pleasing appearance. Uses: finish coat for varnishing coloured and/or dyed wood floors.

Characteristics

| | |
|---------------------------------------|-------------------------------------|
| Mixture ratio | 25% INDURITORE N.I. 600 U |
| Application temperature | +10°C ÷ +25°C |
| Application | roller 6 mm / brush / spray machine |
| Thinning | DILUENTE DMC 50 |
| Coverage | 100 g/m ² |
| Dust dry | 30' ⁽¹⁾ |
| Fingerprint dry | 2 h ⁽¹⁾ |
| Pot-Life | 3-4 h ⁽¹⁾ |
| Sanding | 24 h ⁽¹⁾ |
| Gloss level | 60-70 gloss ⁽²⁾ |
| Chemical and physical characteristics | excellent |
| Coating | good |
| Storage stability | 1 year ⁽³⁾ |
| Packaging | 12,5 L (10 + 2,5) |
| Tool cleaning | DILUENTE DNE |

1 at 20°C and 65% R.H.

2 onto wet film of 90 micron hardened at 20°C and 65% R. H. for 7 days

3 in original sealed containers at temperatures between +10°C and +25°C

How to use

Shake well before use.

When catalysed in the indicated ratios and thinned by 25% with DILUENTE DMC 50, CHIM TABU FT is recommended as a final coat in the subsequent non-yellowing varnish cycle.

- * CHIM TABU PRYMER
- * wait 6 h without sanding
- * CHIM TABU FD
- * wait 12/24 h, then sand with 150/180-grit sandpaper
- * CHIM TABU FT

The maintenance of wooden floors treated with CHIM TABU FT has to be done with VELUREX range of products (see technical data sheets).

Label elements

For more information about the safe use of the product it is recommended to consult the latest version of the Safety Data Sheet.

Web link

Be sure to have the latest version of this technical data sheet downloadable also from the following link:



http://www.chimiver.com/tds/EN_CHIM_TABU_FT.pdf