

# YOUR ACCESS KEY TO SUSTAINABILITY



## **ATTAKKO**

FAST ACRYLIC ADHESIVE FOR SKIRTING BOARDS



Choose Chimiver, together for a sustainable future

#### **PRODUCTS CERTIFICATION**



1 - 1 - 1 - 1	и ви		NG PROTOCOL	
4 - 1 - 1 1	' -		N(, PR()) ()( ())	
 1 – – 1		17-41		

BUILDING	V4	CATEGORY CREDIT	INDOOR ENVIRONMENTAL QUALITY LOW EMITTING MATERIALS	UP TO 3 POINTS
S.S.D. LEED	V4.1	CATEGORY CREDITS	INDOOR ENVIRONMENTAL QUALITY LOW EMITTING MATERIALS	UP TO 3 POINTS
<b>BREEAM</b> ®	INTERNATIONAL NEW CONSTRUCTION RFO	CREDITS	HEA 02 INDOOR AIR QUALITY	1
ENATIONAL TM	V2	CONCEPT	MATERIALS	<b>/</b>
WELL BUILDING		FEATURES	X06 VOC RESTRICTIONS	UP TO 4 POINTS

### MINIMAL AMBIENTALS REQUIREMENTS



2.5.1 EMISSION IN CONFINED **SPACES (INDOOR POLLUTION)** 



Documento redatto in collaborazione con









LEED Proven Provider per i protocolli LEED v4ID+Ce BD+C





LEED Fellow LEED Green Associate



BD+C 12 LEED ® APBD+C

AP



2 LEED ® APID+C 2 LEED ® APO+M



3 BREEAM \* ASSESSOR NC 2 BREEAM \* ASSESSOR INFO 2 BREEAM \* ASSESSOR IN USE 2 BREEAM \* AP



7 WELL ® AP 1 WELL PTA Performance Testing Agent

#### **OTHER DATA**

RELATIVE DENSITY:	1,45 KG/Lt
VOC	0,00%



PACKAGING COMPOSITION								
NOZZLE	RIALS	HDPE 2	% RECYCLED	-				
CARTRIDGE	MATE	HDPE 2		-				

