

YOUR ACCESS KEY TO SUSTAINABILITY



PARKETKIT

COLORED ACRYLIC FILLER PARKETTKIT



Choose Chimiver, together for a sustainable future

PRODUCTS CERTIFICATION



| 1 - 1 - 1 - 1 | и ви | | NG PROTOCOL | |
|---------------|------|-------|-------------------|--|
| 4 - 1 - 1 1 | ' - | | N(, PR()) ()(()) | |
| 1 – – 1 | | 17-41 | | |

| BUILDING C | V4 | CATEGORY CREDIT | INDOOR ENVIRONMENTAL QUALITY LOW EMITTING MATERIALS | UP TO 3 POINTS |
|-----------------|---|---------------------|---|----------------|
| LEED USGBC M | V4.1 | CATEGORY CREDITS | INDOOR ENVIRONMENTAL QUALITY LOW EMITTING MATERIALS | UP TO 3 POINTS |
| BREEAM ® | INTERNATIONAL NEW CONSTRUCTION RFO | CREDITS | HEA 02 INDOOR AIR QUALITY | 1 |
| ETATIONAL TM | V2 | CONCEPT | MATERIALS | / |
| WELL BUILDING | | FEATURES | X06 VOC RESTRICTIONS | UP TO 4 POINTS |

MINIMAL AMBIENTALS REQUIREMENTS



2.5.1 EMISSION IN CONFINED SPACES (INDOOR POLLUTION)



Documento redatto in collaborazione con











LEED Fellow LEED Green Associate



APBD+C













OTHER DATA

| RELATIVE DENSITY: | 1,64 KG/Lt |
|-------------------|------------|
| VOC | 0,34% |



| PACKAGING COMPOSITION | | | | | | | | |
|-----------------------|-------|--------|------------|---|--|--|--|--|
| NOZZLE | RIALS | HDPE 2 | % RECYCLED | - | | | | |
| CARTRIDGE | MATE | HDPE 2 | | - | | | | |

