



TREATMENT AND LACQUERING OF RESIN AND MICROCEMENTS

Chimiver offers a full range dedicated to microcement and resin surfaces for their preparation, protection, treatment, cleaning and maintenance with highly performing water and solvent based systems





BLOCCA RETE

SINGLE-COMPONENT READY TO USE WATER-BASED PRIMER

Single-component ready to use water-based primer added with fine aggregate, suitable for blocking/fixing reinforcing nets on concrete, cement, plaster, plasterboard, wood and ceramic tiles.



PRYMAREN

SINGLE-COMPONENT ACRYLIC WATER-BASED PRIMER FOR MICROCEMENTS

Single-component insulating acrylic water-based primer for cements, microcements before the lacquering. Suitable also for mineral supports, increasing the resistance to water and to alkaline surfaces.



PRYMAREN CREAM

SINGLE-COMPONENT ACRYLIC WATER-BASED HIGH-PERFORMANCE PRIMER FOR MICROCEMENTS

Single-component insulating acrylic water-based primer with not-yellowing resins suitable for the application of ECOSTAR 2K HD per Pavimenti in resina (10-2) range of products. Its special formulation improves the adhesion of water-based lacquer on microcements and mineral support increasing the resistance to water and to alkaline surfaces. The not-yellowing and high curing properties recommend the application of PRYMAREN CREAM onto light or dark microcement.





TREATMENT AND LACQUERING OF RESIN AND MICROCEMENTS


WATER-BASED PRIMERS AND LACQUERS



ECOSTAR 2K HD PER PAVIMENTI IN RESINA 10:2 (A+B)

TWO-COMPONENT LACQUER FOR RESIN FLOORS, RESIN COATINGS, CEMENT AND MICROCEMENT

Two-component waterbased polyurethane lacquer recommended for residential use, particularly in public buildings (medical, offices, etc.). Ideal even in the presence of pets. Applied on various surfaces, it creates a smooth, transparent, tough, walkable, resistant to abrasion coating. Destinations: is recommended for a lacquering protective treatment in the following cases: epoxy coatings, epoxy-cement coatings, polyurethane resins on floors and walls. Do not use on floors where the motor vehicles park. **Available in RAL, NCS colors and on request.**



LD OP SUPEROP



ADDITIVO HD 2-10

Emulsion additive, able to improve the mechanical resistance and increase the abrasion resistance of ECOSTAR 2K HD per Pavimenti in resina (10:2 catalysis ratio).



ADDITIVO SANIPLUS ADDI19W

Special additive formulated with silver ions, that, when added to water lacquers creates a mechanical barrier with hygienizing action. Doesn't alter any of the lacquer's properties (hardness, gloss level, viscosity and both mechanical and chemical resistances, etc).



STOP!

TO THE PROLIFERATION OF GERMS AND BACTERIA IN CONTACT WITH WOOD SURFACES



TREATMENT AND LACQUERING OF RESIN AND MICROCEMENTS

SOLVENT LACQUERS



Indoor / Outdoor



DUROLACK MC 50 EXTRA ALIFATICA (A+B)

TWO-COMPONENT POLYURETHANE SOLVENT-BASED LACQUER FOR WOODEN FLOORS

Two-component aliphatic polyurethane lacquer with very high superficial hardness and superior elasticity, formulated with not-yellowing resin and doped with UV absorbers and anticracking additives to further improve the resistance to yellowing and to wheater. Recommended for the interior and exterior lacquering of cement and stone, paintings of industrial floors subject to heavy mechanical loads, epoxy resin, epoxy cement, polyurethane resins on floors and walls, and microcement with high/low porosity. **Available in NO SLIP, RAL, NCS colors and on request.version.**



ADDITIVO SANIPLUS ADDI19S

Special additive formulated with silver ions, that, when added to solvent-based and UV curable lacquers creates a mechanical barrier with hygienizing action. Doesn't alter any of the lacquer's properties (hardness, gloss level, viscosity and both mechanical and chemical resistances, etc).



STOP!

TO THE PROLIFERATION OF GERMS AND BACTERIA IN CONTACT WITH WOOD SURFACES



CLEANING AND MAINTENANCE

RESIN FLOORS



VELUREX® RESINA CLEANER

INTENSIVE NEUTRAL MULTIUSE CLEANER SUITABLE FOR RESIN FLOORS AND MICROCEMENT

Neutral intensive multiuse cleaner suitable for the proper cleaning of resin floors and microcement. Thanks to its composition it acts efficiently removing dirt, black heel mark, various stains; it doesn't leave halos and perfumes pleasantly the environment. A neutral cleaner with addition of special nanoparticles which guarantee the treated surfaces a deep cleaning and long lasting action. **Ideal even in the presence of pets.**



COLORED FINISH FOR INDOOR AND OUTDOOR USE



RESIN FINISH W 2K

WATER-BASED ACRYLIC LACQUER FOR ASPHALT AND CONCRETE

Two-component lacquer based on a resin in water dispersion and mineral charges. It's suitable on asphalt and concrete like a bike paths, pedestrian areas, multisport areas and decorative applications. RESIN FINISH W 2K can be applied on both new and already painted surfaces. **Available in RAL, NCS colors and on request.**

WAX CARE

HYDROREPELLENT DISPERSION OF WAXES

Hydrorepellent dispersion of waxes for the intensive maintenance of lacquered (solvent, water) oiled and/or waxed wooden floor and also for internal cotto tiles, stones, etc. Gives to the surface a pleasant natural and hydrorepellent effect. Its special formulation renews, protects and restores dull, scratched or ruined wooden floors. **Available in colored version.**



VELUREX® RE-PAIR

PROTECTIVE TREATMENT FOR THE EXTRAORDINARY MAINTENANCE OF WOOD, RESIN AND RESILIENT FLOORS

Polyurethane resin-based product suitable for the extraordinary maintenance of particularly damaged and subject to heavy traffic resin and resilient flooring such as LVT, PVC and linoleum. If applied on wooden floors it is recommended to carry out a preliminary test, and checking the adhesion. VELUREX Re-Pair grants the treated surface a new look characterized by the following properties: surface hardness, toughness and transparency. **Available in lack and matt version.**

