

YOUR ACCESS KEY TO SUSTAINABILITY



RAINCOAT FLOOR / RAINCOAT FLOOR LIGHT

WATER-BASED IMPREGNATOR FOR OUTDOOR WOOD



Choose Chimiver, together for a sustainable future

PRODUCTS CERTIFICATION







GREEN BUILDING PROTOCOLS

BUILDING C	V4	CATEGORY CREDIT	INDOOR ENVIRONMENTAL QUALITY LOW EMITTING MATERIALS	UP TO 3 POINTS
L E E D	V4.1	CATEGORY CREDITS	INDOOR ENVIRONMENTAL QUALITY LOW EMITTING MATERIALS	UP TO 3 POINTS
BREEAM ®	INTERNATIONAL NEW CONSTRUCTION RFO	CREDITS	HEA 02 INDOOR AIR QUALITY	/
WELL BUILDING	V2	CONCEPT	MATERIALS	/
		FEATURES	X06 VOC RESTRICTIONS	UP TO 4 POINTS

MINIMAL AMBIENTALS REQUIREMENTS



EMISSION IN CONFINED SPACES (INDOOR POLLUTION)



2.5.13 b) They do not contain any Cadmium additives, Lead, Hexavalent Chromium, Mercury, Arsenic or Selenium



Documento redatto in collaborazione con



PROVEN

LEED Proven Provider per i protocolli LEED v4ID+Ce BD+C





LEED Fellow LEED Green Associate













OTHED DATA

OTHER DATA							
RELATIVE DENSITY:	1,04 KG/Lt						
VOC	2,61%						



PACKAGING COMPOSITION							
CONTAINER	S	C/PP	Ω	-			
LABEL	MATERIALS	PP	% RECYCLED	-			
САР	2	FE		-			

